





SNIPE

ANCHOR HANDLING TUG SUPPLY



SNIPE

ANCHOR HANDLING TUG SUPPLY

The SNIPE is an anchor handling tug supply vessel of 65t bollard pull with a clear deck area of 319 m².

She is naturally engaged in towing, anchor handling and general supply duties to the offshore industry.



MAIN DATA

IMO number	8111740
Gross tonnage	973 t
Net tonnage	291 t
Length overall	60.0 m
Breadth	13.0 m
Depth	4.90 m
Minimum draft	4.25 m
Clear Deck Space	319 m ²
Deck Strength	2.75 t /m ²
Bollard Pull	642.5 t
Max speed	12 Kts
Consumption	14 t/d (towing) - 10 t/d (sailing)
Registry of Classification	RINA
Class	Supply vessel; tug
Flag	ITALY

MAIN ENGINE

Engine type	2 x MAK 6M 453 AK / 1618 kW - 600 rpm
Propulsion	2 x Control pitch propeller
Screw type	2 x LIPS BV / 4 LH 630 - 4 blades
Screw diameter	2,500 mm
Bow thruster	Jastram - 325 kW

AUXILIARIES ENGINES

Diesel generator type	2 x MWM TBD 232 V 12 1 x MWM TD 232 V 08
Generator	2 x 239 kW - 380/220 V - 50 Hz 1 x 135 kW - 380/220 V - 50 Hz
Total electrical power	613 kW - 380/220 V - 50 Hz

ACCOMMODATION

Modern fully conditioned and heated accommodation as follows:

4 x 1 person	
6 x 2 persons	
1 x 4 persons	total: 25 pax
Hospital	1 person
Messroom	11 persons

CAPACITY

MGO	437 m ³
Fresh water	144.7 m ³





FWD MOORING WINCH

Model	Hatlapa
Type	Hydraulic
Pull	2 x 10 t

NAVIGATION EQUIPMENT

	1 SPERRY VISION MASTER RT
	1 FURUNO FR - 1510 MARK 3
Radar	1 FURUNO 1932
Magnetic compass	CASSENS & PLATH
Echosounder	FURUNO FE 700
Autopilot	ANSCHUTZ KIEL STANDARD 12
GPS	1 FURUNO GP 31 - 1 FURUNO GP 32

ANCHOR HANDLING & TOWING WINCH

Model	Brattvag - double drum
Type	Hydraulic
Max pull	150 t

COMMUNICATION EQUIPMENT

	VHF DSC SAILOR RT 5022
	MF/HF - SAILOR CU 5100
GMDSS	AREA A1 +A2 +A3
	MINI M
	SAT C
	1 JRC JUE 85
	1 SAT C TRANCEIVER
Inmarsat	Sailor H 2095 C

SPECIAL EQUIPMENT - FI FI

Class	Class I
Fire fighting pump	2 x IRON AS Type QH 400/350/630
Monitor type	2 x MK-250 EL-VR 250
	flow: 1500 m3/h - 12 bar
	length through over: 120 m
	max height: 45 m
Monitor characteristic	
Fire protection system	Type WINDHORST MK 250 - 80 m3/h - 6 bar

DECK EQUIPMENT

Crane	1 x hydraulic - 1 t @3 m
Tugger winch	2 x hydraulic x 5 t
Capstan	2 x hydraulic x 10 t



HEAD OFFICE

Via Trieste 279
48122 Ravenna IT
tel +39 0544422252
fax +39 0544423767
mail@micoperi.com

